



Children and adults apply 1 spray of Allergocrom® Nasal spray into each nostril 4 times daily at regular intervals.

Insert the opening of the bottle into the nostril and press hard on the spray mechanism.

Treatment with Allergocrom® Nasal spray should not be stopped after symptoms improve. Rather, its use should be continued until the patient is not longer in contact with the allergen (pollen, house dust, mold etc.)

Side-Effects/unfavorable reactions:

Occasionally, a slight burning of the nasal mucous membrane, in rare cases headache and a momentary disturbance of taste may occur. In single cases nosebleeding, lesions of the mucous membranes, swelling of the tongue, coughing, shortness of breath were observed. Further on in single cases swelling of the larynx, roughness of the voice and Quincke's edema (swelling of the skin without itching, especially of the face) cannot be excluded. After discontinuation of therapy these symptoms recede spontaneously. If severe complaints occur, especially suspected sensitivity please consult your physician.

In single cases a severe general anaphylactic reaction with bronchospasms were reported in connection with a cromolyn sodium therapy.

If you notice any side-effect which is not mentioned in this product information please tell it to your physician or pharmacist.

Stability:

Allergocrom® Nasal spray should not be used beyond the expiration date (printed on the packaging carton).

With proper care, Allergocrom® Nasal spray can be used up to 12 weeks after the bottle has been opened for the first time.

Allergocrom® Nasal spray should be stored protected from light and not above 25 °C.

Date of revision of the text:

November 2015

Store this drug out of the reach of children!

艾麗鼻用噴液劑 2.8mg/spray
Allergocrom Nasal Spray Solution 2.8mg/spray

衛署藥輸字第021824號

【成份】 每一噴含有Cromolyn Sodium 2.8mg。

【賦形劑】 Disodium Edetate、Sorbitol、Water for injections

【適應症】 過敏性鼻炎。

【用法及用量】

本藥須由醫師處方使用。

兒童及成人通常每次每個鼻孔各噴一次，一天四次。

打開保護蓋，將噴鼻管伸入鼻孔內，大姆指置於瓶底，食指及中指置於噴鼻管二側之突出物，用力按壓至底部噴鼻液即可噴出。

在症狀獲得改善後，請不要立刻停止使用，應繼續使用至不再接觸過敏原。

【禁忌】

- 1.對本品成份過敏之患者，不可使用本品。
- 2.雖然本品無致畸胎作用，但懷孕1~3個月仍應避免使用本品。
- 3.本品主成份有少量會排除於乳汁中，故孕婦及授乳婦應經醫師對其使用的利益及危險性評估後才可使用。

【副作用】

- 1.偶有鼻黏膜輕微灼熱感，罕有頭痛及暫時性味覺混亂之情形。
- 2.曾有鼻出血、鼻黏膜受傷、舌頭腫脹、咳嗽、呼吸短促之報告。
- 3.曾有喉頭腫脹，聲音變粗及Quincke's Edema（皮膚腫脹但無癢感，尤其是臉部）之報告。
- 4.曾有一個病人有嚴重全身性過敏反應及支氣管痙攣之報告。
- 5.若有嚴重副作用或過敏性反應請諮詢醫師。

【貯存】

貯存於25°C以下之陰乾處所。

開瓶後最多可使用12星期。

【包裝】

15ml塑膠瓶裝（100噴）

製造廠: URSAPHARM Arzneimittel GmbH
製造廠址: Industriestraße 35, D-66129 Saarbrücken, Germany

藥商: 吉富貿易有限公司
地址: 台北市內湖區行愛路77巷69號7樓
電話: 02-2790-0799



Kunde:	Export / Chi Fu Trading Co., Ltd.	Lackierung:	/
Produkt:	PB ALLERGOCROM 15 ML 3K UNKONS. CHI FU	Lackaussparung:	<input type="checkbox"/> /
Art.-Nr.:	32.2503	Pharmacode:	1257
Format:	200 x 185 mm (Plano)	Zusatzspezifikation:	1/2-fbg.
Blindenschrift (FS):	JA / NEIN	Sonstiges:	/
Material:	Offset 60 g/qm (UPM Fine, Fa. Nordland)		
Kleber (ET):	/	Farbtoleranz vorhanden:	JA / NEIN Nr.: FTK_UPH_
Farbe 1:	<input checked="" type="checkbox"/> HKS 12	Farbtoleranz fertigen: (6-fache Ausfertigung)	JA / NEIN Nr.: FTK_UPH_
Farbe 2:	<input checked="" type="checkbox"/> Schwarz		
Farbe 3:	<input type="checkbox"/> /		
Farbe 4:	<input type="checkbox"/> /	Korrekturabzug Nr.:	1
Farbe 5:	<input type="checkbox"/> /	Erstellt:	13.11.2015 Claudia Wunsch
Farbe 6:	<input type="checkbox"/> /	Freigabe Kunde:	
Farbe 7:	<input type="checkbox"/> /	Endfreigabe/Gut zum Druck:	



Dear Patient!

Please read this product information carefully because it contains important information about what should be followed when applying this drug. If you have any questions please ask your physician or pharmacist.

Product information

Name of drug:

Allergocrom®

Nasal spray

Active ingredient: Cromolyn sodium

Contents:

1 dose of spray contains:

- medicinally active ingredient:
Cromolyn sodium 2.8 mg
- other ingredients:
Disodium edetate; sorbitol; water for injections

Pharmaceutical form and packaging:

15 ml solution for spraying into the nose

Therapeutic group:

Drug against allergic rhinitis

Manufacturer:

URSAPHARM Arzneimittel GmbH

Industriestraße 35, D-66129 Saarbrücken, Germany

Telephone: Germany - (0)6805 - 92 92 0

Telefax: Germany - (0)6805 - 92 92 88

Indications:

Seasonal (hay-fever) and perennial allergic rhinitis.

Contraindications:

Allergocrom® Nasal spray should not be used in hypersensitivity against one of the ingredients.

Although there is no indication to teratogenic effects, Allergocrom® Nasal spray is not recommended for use during the first three months of pregnancy.

The active ingredient passes in small amounts into breast milk. In the further course of pregnancy and during lactation Allergocrom® Nasal spray should be applied only after a physician's benefit-risk-analysis.

Precautions for use and special warnings:

None.

Dosages, directions for usage and duration of treatment:

If your physician did not otherwise prescribe, please, follow this application rules so that Allergocrom® Nasal spray will be effective.

